

## **Statement of Qualification**

The Federal Aviation Administration (FAA) National Simulator Program (NSP) has evaluated this Flight Simulation Training Device (FSTD) and found it to meet the standards set forth in the qualification document.

Sponsor	
FAA ID	
Aircraft Designation	
<b>Qualification Document</b>	
Qualification Level	
<b>Expiration Date</b>	

With the exception of noted exclusions for which this FSTD has not been subjectively tested, the qualification of this FSTD includes the tasks set out in the applicable qualification document. To maintain qualification, this FSTD must continue to meet all the standards and specifications of the qualification document and is subject to the conditions and limitations in the FSTD Information and Configuration List as well as the last FAA FSTD Evaluation Report. This certificate is not transferable, and unless revoked, suspended, or amended is valid until the expiration date.

Sponsor Name:	Liberty University, School of Aeronautics		
Designator:	L48S		
FAAID:	1397		
Make/Model/Series:	CE-172-S		
Evaluation Interval:	24		

Section 1. Sponsor   FSTD Location   Contact Information					
FSTD Location					
Training Facility Name:	Liberty Univeristy Lynchburg Campus				
Address:	205 Arthur S. Demoss DR				
City:	LYNCHBUR	G C			
State/Prov/Terr:	VA				
Country:	USA				
ZIP:	24515				
Local FAA Authority / FAA Training Program Approval A	thority (TPA	,			
Name:	Dows, Micha	iel			
Address:	5707 Huntsn	nan Rd			
City:	RICHMOND				
State/Prov/Terr:	VA	Office:	(804) 222-7494		
Country:	USA	Cell:			
ZIP:	23250	Email:	Mchael.l.dows@faa.gov		
FAA Alternate POC (APM, FTPM, if applicable)					
Name:					
Address:					
City:					
State/Prov/Terr:		Office:			
Country:	Cell:				
ZIP:	Email:				
Sponsor FSTD Management Representative					
Name:	Martin, Kevin				
Address:	205 Arthur S	. Demoss DR			
City:	LYNCHBUR	ng .			
State/Prov/Terr:	VA	Office:	(434) 592-7739		
Country:	USA	Cell:			
ZIP:	24515	Email:	krmartin5@liberty.edu		
Sponsor FSTD Local Contact	Sponsor FSTD Local Contact				
Name:	Martin, Kevin				
Address:	205 Arthur S. Demoss DR				
City:	LYNCHBURG				
State/Prov/Terr:	VA	Office:	(434) 592-7739		
Country:	USA Cell:				
ZIP:	24515 Email: krmartin5@iberty.edu				

Sponsor Name:	Liberty University, School of Aeronautics	
Designator:	L48S	
FAAID:	1397	
Make/Model/Series:	CE-172-S	
Evaluation Interval:	24	

Section 2. FSTD Information						
A/C Common Name:		CESSNA CE-172		Manufacturer Name:		Frasca International, Inc.
A/C Alternative Name	e:	Cessna 172		Manufactured Year:		2012
Qualification Basis:		14 CFR Part 60 (2008), Append	dix B	Manufacture Serial No:		10319-001
Qualification Level:		5		Sponsor's FSTD ID:		10319-001
FSTD Class:		Airplane FTD		Evaluation Base Month:		Aug
FSTD Seats Available	e:	2		FSTD Convertible to:		Ш
FSTD Configuration	Information	,				
FSTD Configuration	(1):	CE-172-S				
FSTD Configuration	(2):					
FSTD Configuration	(3):					
FSTD Engine Informa	ition	\ <u></u>				
Pri. Engine Type / Ti	hrust:	Textron Lycoming IO-360-L2A 2700RPM	180BHP at	FADEC Version:		
At. Engine Type / Th	ırust:			FADEC Version:		
At. Engine Type / Th	rust:			FADEC Version:		
At. Engine Type / Thrust:			FADEC Version:			
Flight Instrumentatio	Flight Instrumentation & Systems					
NVG				Other:		
CPDLC				Other:		
EFB Class:			Other:			
Data Sources & Mode	ls					
Flight Control Data:	Model/Revision:	Part 60 Alternative Data, Table	B2B			
Aero Model: Source/	Model/Revision:	Part 60 Alternative Data, Table	B2B			
Visual System	Visual System					
Image Generator Make/Model: Frasca/TruVision Global II						
Display Type: Cross Ckpt, Collimated			Visual Projector Type:		LCD	
Horizontal Field of View (degs): 210			Vertical Field of View (degs):		57	
Avionics	Avionics					
Manufacturer	Garmin					
Model	G1000 w/GFC700 A	P				
Standard/Revision	Revision: Rev Y					

Sponsor Name:	Liberty University, School of Aeronautics	
Designator:	L48S	
FAAID:	1397	
Make/Model/Series:	CE-172-S	
Evaluation Interval:	24	

Flight Management System					
Manufacturer:					
Model:					
Type/Revision:					
		•			
Motion System					
Manufacturer:					
Туре:	Electric				
Axis:	0				
Airport Qualification Models					
1: Airport / Runways / Taxiway:					
2: Airport / Runways / Taxiway					
3: Airport / Runways / Taxiway					
V5					
Visual Ground Segment	1				
Airport / Landing RW					
Helicopter Non-Airport Landing Areas					
Elevated Surface:					
Confined Landing Area:					
Sloped Surface					
Other National Aviation Authority Qualifications (US-NAA BASA-SIPs Agreements Only)					
NAA Name:					
NAAFSTD ID No:					
NAA Qualification Level:					
NAA Qualification Basis:					

## FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Liberty University, School of Aeronautics	
Designator:	L48S	
FAAID:	1397	
Make/Model/Series:	CE-172-S	
Evaluation Interval:	24	

Except for Non-Qualified items in section 4, this FSTD is qualified to perform all maneuvers, procedures, tasks, and functions listed in the applicable QPS Appendix, Tables 1B and 1C of 14 CFR Part 60 as amended. Additionally, this FSTD is qualified to perform maneuvers, procedures, tasks, and functions annotated in sections 3a, 3b, or 3c. Specific use in conjunction with any training program must be approved by the FAA Training Program Approval Authority (TPAA).

			Qualified Maneuvers, Procedures, Tasks, and Functions ix (A,B,C, or D) Attachment 1, Table 1B)
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
CAT I (Mnimums IAW sponsor/operator authorization)			
CAT II (Minimums IAW sponsor/operator authorization)			
CAT III (Mnimums IAW sponsor/operator authorization)			
Circling Approach			
Windshear Training			
Auto-Coupled Approach			
Auto Go Around			
Auto-Land / Roll-Out Guidance			
TCAS/ACAS I / II			
WX-Radar			
HUD / HGS			
EFVS			
TAWS (GPWS / EGPWS)			
SMGCS			
Enhanced Taxi Markings			
RWSL / LAHSO			
LPV GPS WAAS CLPV GPS WAAS			
RNP/AR			
ADS-B In			
Full Stall (14CFR Part 60 (2016)/FSTD Directive 2)			
UPRT (14CFR Part 60 (2016)/FSTD Directive 2)			
Icing (14CFR Part 60 (2016)/FSTD Directive 2)			
Realistic Gusting Crosswind (14CFR Part 60 (2016)/FSTD Directive 2)			
Bounced Landing (14CFR Part 60 (2016)/FSTD Directive 2)			
Other			

Sponsor Name:	Liberty University, School of Aeronautics	
Designator:	L48S	
FAAID:	1397	
Make/Model/Series:	CE-172-S	
Evaluation Interval:	24	

Section 3b. Level 6 and Above FSTD Additional Helicopter FSTD Qualified Maneuvers, Procedures, Tasks, and Functions (not stated in 14CFR Part 60 Appendix (C or D) Attachment 1, Table 1B)				
Area/Function/Maneuver	Requested (Sponsor Use)	<b>Q</b> ualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)	
Helicopter Slope Landings				
Helicopter External Load Operations				
Helicopter Pinnacle Approach to Landings				
Helicopter Night Vision Maneuvers Class A , Class B Lens				
Helicopter Category A Takeoffs				
Other				
Other				
Other				

Sponsor Name:	Liberty University, School of Aeronautics	
Designator:	L48S	
FAAID:	1397	
Make/Model/Series:	CE-172-S	
Evaluation Interval:	24	

Section 3c. L			ed Maneuvers, Procedures, Tasks, and Functions able B1B and D1B)
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
Preflight Procedures			
Preflight Inspection (flight deck only).	V	V	
Engine Start	V		
Pre-takeoff Checks.	V	V	
In-Flight Maneuvers			
Approach to Stalls	V	V	(Level 5 Only)
Engine Failure (procedures only)	V	V	(Level 5 Only)
Specific Flight Characteristics incorporated into user's approved flight training program			
Instrument Procedures			<u>'</u>
Standard Terminal Arrival / Flight Management System Arrival	V	V	(Level 5 Only)
Holding	V	V	(Level 5 Only)
Precision Instrument, all engines operating	V	V	(Level 5 Only)
Non-Precision Instrument, all engines operating	V	V	(Level 5 Only)
Mssed Approach	V	V	(Level 5 Only)
Landings and Approaches to Landings			-
Visual Approaches (normal, steep, shallow) with visual system			(Helicopter Only)
Normal and Abnormal Procedures			
Powerplant	V	V	
Fuel System.	V	V	
Electrical System	V	V	
Environmental and Pressurization Systems			
Fire Detection and Extinguisher Systems			
Navigation and Avionics Systems	V	V	
Automatic Flight Control System, Electronic Flight Instrument System, and Related Subsystems.		V	
Flight Control Systems	V	V	
Anti-ice and Deice Systems	V	V	
Aircraft and Personal Emergency Equipment	V	V	
Emergency Procedures			•
Emergency Descent (Max Rate)	V	V	
Inflight fire and smoke removal			
Rapid Decompression			
Emergency Evacuation			
Post flight Procedures			
After-Landing Procedures	V	V	
Rotor brake operation.			
Abnormal/emergency procedures	V		
Other	-		1
Other			

Other	
Other	



Evaluation End Date:	8/13/2019 4:00:00 PM
FAA ID	1397
Make/Model/Series:	CE-172-S
Sponsor:	Liberty University, School of Aeronautics
Location:	205 Arthur S. Demoss DR VA, LYNCHBURG 24515
Evaluating Inspector:	Brackin, Jon;
Evaluation Type:	Other
Qualification Level Authorized:	5

EVALUATION INFORMATION					
FSTD Configuration(s) Evaluated CE-172-S					
Was This A BASA-SIP Evaluation?	☐ YES		Outcome Status:  Next Evaluation Date:	Qualified 8/15/2021	
For Which Authority:					
Notes for next evaluation					
Watts, Taylor					
	EVALUATION :	TEAM MEMBERS			
FAA Representatives (Other than Evaluating Inspector)  Sponsor Representatives			tatives		
		Martin, Kevin			

## COMMENTS / NOTES

Watts, Taylor Fresca

Relocation eval.

			NON-QUALIFIED TASKS		
Sponsor DR No.	NSP DR No.	Severity Level	Non-Qualified Task(s) / Discrepancy Description	Date Closed:	Corrective Action Taken:

DISCREPANCIES					
Sponsor DR No.	NSP DR No. No.	Severity Level	Dicaronanov Decaription		Corrective Action Taken: (For closeouts or extensions)
0	D1	2	Parking brake will not hold aircraft position.		Close Per SQMS
	D2	2	Blend zones need adjustments.		Close Per SQMS
	D3	0	No control locks or representation of control locks are not in the FTD, yet check list call for them.	8/13/2019	Placed a representation of locks in pilot's side pocket.

## RECOMMENDATIONS for SPONSOR

- 1. Recommend placing Exit signs above the doors.
- 2. Recommend having a working fire extinguisher in the SIMBay.

## **Terms and Definitions:**

#### **Evaluation Types**

TYPE	CODE	REFERENCE	COMMENTS
Initial	I	Part 60.15	Initial evaluation for new simulator
Continuing	С	Part 60.19	Recurrent evaluation – usually every 12 months
Upgrade	U	QPS (11)	Changing simulator qualification from lower to higher level (ILC to Level D)
Special-Focus	SF	QPS (10b,11q)	Evaluation at the discretion of the NSPM to cover safety concerns (NTSB recommendation or problem are for example)
Special-Restore	SR	Part 60.27	Includes Move, Non-Use, Loss of Continuing Qualification, Mssing QTG
Special- Surveillance	SS	QPS (11q)	Like SF, used to gather additional data on simulator and sponsor
Special-Update	SU	Part 60.16	Modifications
Special-Other	SO		Other – not mentioned above

## **Evaluation Information**

## **FSTD Configuration**

Indicate the FSTD configuration evaluated where variable FSTD configurations exist under one FAAID number (i.e. engine types, propeller types)

#### T001

This is commonly referred to as the Statement of Qualification (SOQ). Check "Yes" if a new SOQ was issued. For most continuing and initial

#### T001A

This is sometimes referred to as the Configuration List. Check "Yes" if the T001A has been changed from the previous official version.

## **BASA-SIP**

Bilateral Aviation Safety Agreement – Simulator Implementation Procedures. Click "Yes" if the evaluation you are performing will be sent to a There are only two current agreements: UK CAA and Transport Canada.

#### Sponsor Feedback

Sponsors are encouraged to leave Feedback Feedback for the NSPM concerning this evaluation or other matters. Select the Feedback link on this