

Federal Aviation Administration National Simulator Program



Statement of Qualification

The Federal Aviation Administration (FAA) National Simulator Program (NSP) has evaluated this Flight Simulation Training Device (FSTD) and found it to meet the standards set forth in the qualification document.

Sponsor	
FAA ID	
Aircraft Designation	
Qualification Document	
Qualification Level	
Expiration Date	

With the exception of noted exclusions for which this FSTD has not been subjectively tested, the qualification of this FSTD includes the tasks set out in the applicable qualification document. To maintain qualification, this FSTD must continue to meet all the standards and specifications of the qualification document and is subject to the conditions and limitations in the FSTD Information and Configuration List as well as the last FAA FSTD Evaluation Report. This certificate is not transferable, and unless revoked, suspended, or amended is valid until the expiration date.

Federal Aviation Administration
National Simulator Program

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Liberty University, School of Aeronautics
Designator:	L48S
FAAID:	1491
Make/Model/Series:	CE-172-S
Evaluation Interval:	24

Section 1. Sponsor | FSTD Location | Contact Information

FSTD Location

Training Facility Name:	Liberty Univeristy Lynchburg Campus
Address:	205 Arthur S. Demoss DR
City:	LYNCHBURG
State/Prov/Terr:	VA
Country:	USA
ZIP:	24515

Local FAA Authority / FAA Training Program Approval Authority (TPAA)

Name:	Dows, Michael		
Address:	5707 Huntsman Rd		
City:	RICHMOND		
State/Prov/Terr:	VA	Office:	(804) 222-7494
Country:	USA	Cell:	
ZIP:	23250	Email:	Mchael.l.dows@faa.gov

FAA Alternate POC (APM, FTPM, if applicable)

Name:			
Address:			
City:			
State/Prov/Terr:		Office:	
Country:		Cell:	
ZIP:		Email:	

Sponsor FSTD Management Representative

Name:	Martin, Kevin		
Address:	205 Arthur S. Demoss DR		
City:	LYNCHBURG		
State/Prov/Terr:	VA	Office:	(434) 592-7739
Country:	USA	Cell:	
ZIP:	24515	Email:	kmartin5@liberty.edu

Sponsor FSTD Local Contact

Name:	Martin, Kevin		
Address:	205 Arthur S. Demoss DR		
City:	LYNCHBURG		
State/Prov/Terr:	VA	Office:	(434) 592-7739
Country:	USA	Cell:	
ZIP:	24515	Email:	kmartin5@liberty.edu

Federal Aviation Administration
National Simulator Program

Sponsor Name:	Liberty University, School of Aeronautics
Designator:	L48S
FAAID:	1491
Make/Model/Series:	CE-172-S
Evaluation Interval:	24

FSTD INFORMATION & CONFIGURATION

Section 2. FSTD Information

A/C Common Name:	CESSNA CE-172	Manufacturer Name:	Frasca International, Inc.
A/C Alternative Name:	Cessna 172	Manufactured Year:	2016
Qualification Basis:	14 CFR Part 60 (2008), Appendix A	Manufacture Serial No:	12320-001
Qualification Level:	5	Sponsor's FSTD ID:	12320-001
FSTD Class:	Airplane FTD	Evaluation Base Month:	Aug
FSTD Seats Available:	2	FSTD Convertible to:	

FSTD Configuration Information

FSTD Configuration (1):	CE-172-S
FSTD Configuration (2):	
FSTD Configuration (3):	

FSTD Engine Information

Pri. Engine Type / Thrust:	Textron Lycoming IO-360-L2A 180BHP at 2700RPM	FADEC Version:	
Alt. Engine Type / Thrust:		FADEC Version:	
Alt. Engine Type / Thrust:		FADEC Version:	
Alt. Engine Type / Thrust:		FADEC Version:	

Flight Instrumentation & Systems

<input type="checkbox"/> NVG	<input type="checkbox"/> Other:
<input type="checkbox"/> CPDLC	<input type="checkbox"/> Other:
<input type="checkbox"/> EFB Class:	<input type="checkbox"/> Other:

Data Sources & Models

Flight Control Data: Model/Revision:	Part 60 Alternative Data, Table B2B
Aero Model: Source/Model/Revision:	Part 60 Alternative Data, Table B2B

Visual System

Image Generator Make/Model:	Frasca/TruVision Global II		
Display Type:	Cross Ckpt, Collimated	Visual Projector Type:	LCD
Horizontal Field of View (degs):	210	Vertical Field of View (degs):	57

Avionics

Manufacturer	Garmin		
Model	G1000		
Standard/Revision	System Software Version 0563.26, version 12.03		

**Federal Aviation Administration
National Simulator Program**

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Liberty University, School of Aeronautics
Designator:	L48S
FAAID:	1491
Make/Model/Series:	CE-172-S
Evaluation Interval:	24

Flight Management System			
Manufacturer:			
Model:			
Type/Revision:			

Motion System	
Manufacturer:	
Type:	Electric
Axis:	0

Airport Qualification Models	
1: Airport / Runways / Taxiway:	
2: Airport / Runways / Taxiway	
3: Airport / Runways / Taxiway	

Visual Ground Segment	
Airport / Landing RW	

Helicopter Non-Airport Landing Areas	
Elevated Surface:	
Confined Landing Area:	
Sloped Surface	

Other National Aviation Authority Qualifications (US-NAA BASA-SIPs Agreements Only)			
NAA Name:			
NAA FSTD ID No:			
NAA Qualification Level:			
NAA Qualification Basis:			

**Federal Aviation Administration
National Simulator Program**

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Liberty University, School of Aeronautics
Designator:	L48S
FAAID:	1491
Make/Model/Series:	CE-172-S
Evaluation Interval:	24

Except for Non-Qualified items in section 4, this FSTD is qualified to perform all maneuvers, procedures, tasks, and functions listed in the applicable QPS Appendix, Tables 1B and 1C of 14 CFR Part 60 as amended. Additionally, this FSTD is qualified to perform maneuvers, procedures, tasks, and functions annotated in sections 3a, 3b, or 3c. Specific use in conjunction with any training program must be approved by the FAA Training Program Approval Authority (TPAA).

**Section 3a. Level 6 and Above FSTD Additional FSTD Qualified Maneuvers, Procedures, Tasks, and Functions
(not stated in 14CFR Part 60 Appendix (A,B,C, or D) Attachment 1, Table 1B)**

Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
CAT I (Minimums IAW sponsor/operator authorization)	<input type="checkbox"/>	<input type="checkbox"/>	
CAT II (Minimums IAW sponsor/operator authorization)	<input type="checkbox"/>	<input type="checkbox"/>	
CAT III (Minimums IAW sponsor/operator authorization)	<input type="checkbox"/>	<input type="checkbox"/>	
Circling Approach	<input type="checkbox"/>	<input type="checkbox"/>	
Windshear Training	<input type="checkbox"/>	<input type="checkbox"/>	
Auto-Coupled Approach	<input type="checkbox"/>	<input type="checkbox"/>	
Auto Go Around	<input type="checkbox"/>	<input type="checkbox"/>	
Auto-Land / Roll-Out Guidance	<input type="checkbox"/>	<input type="checkbox"/>	
TCAS/ACAS I / II	<input type="checkbox"/>	<input type="checkbox"/>	
WX-Radar	<input type="checkbox"/>	<input type="checkbox"/>	
HUD / HGS	<input type="checkbox"/>	<input type="checkbox"/>	
EFVS	<input type="checkbox"/>	<input type="checkbox"/>	
TAWS (GPWS / EGPWS)	<input type="checkbox"/>	<input type="checkbox"/>	
SMGCS	<input type="checkbox"/>	<input type="checkbox"/>	
Enhanced Taxi Markings	<input type="checkbox"/>	<input type="checkbox"/>	
RWSL / LAHSO	<input type="checkbox"/>	<input type="checkbox"/>	
LPV GPS WAAS <input type="checkbox"/> LPV <input type="checkbox"/> GPS <input type="checkbox"/> WAAS	<input type="checkbox"/>	<input type="checkbox"/>	
RNP/AR	<input type="checkbox"/>	<input type="checkbox"/>	
ADS-B <input type="checkbox"/> In	<input type="checkbox"/>	<input type="checkbox"/>	
Full Stall (14CFR Part 60 (2016)/FSTD Directive 2)	<input type="checkbox"/>	<input type="checkbox"/>	
UPRT (14CFR Part 60 (2016)/FSTD Directive 2)	<input type="checkbox"/>	<input type="checkbox"/>	
Icing (14CFR Part 60 (2016)/FSTD Directive 2)	<input type="checkbox"/>	<input type="checkbox"/>	
Realistic Gusting Crosswind (14CFR Part 60 (2016)/FSTD Directive 2)	<input type="checkbox"/>	<input type="checkbox"/>	
Bounced Landing (14CFR Part 60 (2016)/FSTD Directive 2)	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	

**Federal Aviation Administration
National Simulator Program**

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Liberty University, School of Aeronautics
Designator:	L48S
FAAID:	1491
Make/Model/Series:	CE-172-S
Evaluation Interval:	24

**Section 3b. Level 6 and Above FSTD Additional Helicopter FSTD Qualified Maneuvers, Procedures, Tasks, and Functions
(not stated in 14CFR Part 60 Appendix (C or D) Attachment 1, Table 1B)**

Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
Helicopter Slope Landings	<input type="checkbox"/>	<input type="checkbox"/>	
Helicopter External Load Operations	<input type="checkbox"/>	<input type="checkbox"/>	
Helicopter Pinnacle Approach to Landings	<input type="checkbox"/>	<input type="checkbox"/>	
Helicopter Night Vision Maneuvers Class A <input type="checkbox"/> , Class B Lens <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Helicopter Category A Takeoffs	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	

**Federal Aviation Administration
National Simulator Program**

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Liberty University, School of Aeronautics
Designator:	L48S
FAAID:	1491
Make/Model/Series:	CE-172-S
Evaluation Interval:	24

**Section 3c. Level 4 & 5 FSTD Optionally Qualified Maneuvers, Procedures, Tasks, and Functions
(as defined in Table B1B and D1B)**

Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
Preflight Procedures			
Preflight Inspection (flight deck only).	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Engine Start	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Pre-takeoff Checks.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
In-Flight Maneuvers			
Approach to Stalls	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	(Level 5 Only)
Engine Failure (procedures only)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	(Level 5 Only)
Specific Flight Characteristics incorporated into user's approved flight training program	<input type="checkbox"/>	<input type="checkbox"/>	
Instrument Procedures			
Standard Terminal Arrival / Flight Management System Arrival	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	(Level 5 Only)
Holding	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	(Level 5 Only)
Precision Instrument, all engines operating	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	(Level 5 Only)
Non-Precision Instrument, all engines operating	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	(Level 5 Only)
Mssed Approach	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	(Level 5 Only)
Landings and Approaches to Landings			
Visual Approaches (normal, steep, shallow) with visual system	<input type="checkbox"/>	<input type="checkbox"/>	(Helicopter Only)
Normal and Abnormal Procedures			
Powerplant	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Fuel System.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Electrical System	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Environmental and Pressurization Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Fire Detection and Extinguisher Systems	<input type="checkbox"/>	<input type="checkbox"/>	
Navigation and Avionics Systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Automatic Flight Control System, Electronic Flight Instrument System, and Related Subsystems.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Flight Control Systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Anti-ice and Deice Systems	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Aircraft and Personal Emergency Equipment	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Emergency Procedures			
Emergency Descent (Max Rate)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Inflight fire and smoke removal	<input type="checkbox"/>	<input type="checkbox"/>	
Rapid Decompression	<input type="checkbox"/>	<input type="checkbox"/>	
Emergency Evacuation	<input type="checkbox"/>	<input type="checkbox"/>	
Post flight Procedures			
After-Landing Procedures	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Rotor brake operation.	<input type="checkbox"/>	<input type="checkbox"/>	
Abnormal/emergency procedures	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Other			
Other	<input type="checkbox"/>	<input type="checkbox"/>	

Other	<input type="checkbox"/>	<input type="checkbox"/>	
Other	<input type="checkbox"/>	<input type="checkbox"/>	



**Federal Aviation
Administration
National Simulator Program**

FSTD Evaluation Report

Evaluation End Date:	8/14/2019 12:30:00 PM
FAA ID	1491
Make/Model/Series:	CE-172-S
Sponsor:	Liberty University, School of Aeronautics
Location:	205 Arthur S. Demoss DR VA, LYNCHBURG 24515
Evaluating Inspector:	Brackin, Jon;
Evaluation Type:	Other
Qualification Level Authorized:	5

EVALUATION INFORMATION

FSTD Configuration(s) Evaluated CE-172-S		
Was This A BASA-SIP Evaluation?	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	Outcome Status: Qualified Next Evaluation Date: 8/15/2021
For Which Authority:		
Notes for next evaluation		
Watts, Taylor Frasca		

EVALUATION TEAM MEMBERS

FAA Representatives (Other than Evaluating Inspector)	Sponsor Representatives
	Martin, Kevin

COMMENTS / NOTES

relocation eval.

Watts, Taylor

NON-QUALIFIED TASKS

Sponsor DR No.	NSP DR No.	Severity Level	Non-Qualified Task(s) / Discrepancy Description	Date Closed:	Corrective Action Taken:

DISCREPANCIES

Sponsor DR No.	NSP DR No. No.	Severity Level	Discrepancy Description	Date Closed:	Corrective Action Taken: (For closeouts or extensions)
0	D1	2	Blend-zones need adjustment.		Close Per SQMS
	D2	2	When landing on RWY 35 at KLYH a shadowed hexagon appears in the prop arc.		Close per SQMS
	D3	1	MQTG FSTD information page has the wrong visual system listed.		Close per SQMS

RECOMMENDATIONS for SPONSOR

--

Terms and Definitions:

Evaluation Types

TYPE	CODE	REFERENCE	COMMENTS
Initial	I	Part 60.15	Initial evaluation for new simulator
Continuing	C	Part 60.19	Recurrent evaluation – usually every 12 months
Upgrade	U	QPS (11)	Changing simulator qualification from lower to higher level (ILC to Level D)
Special-Focus	SF	QPS (10b,11q)	Evaluation at the discretion of the NSPM to cover safety concerns (NTSB recommendation or problem are for example)
Special-Restore	SR	Part 60.27	Includes Move, Non-Use, Loss of Continuing Qualification, Missing QTG
Special-Surveillance	SS	QPS (11q)	Like SF, used to gather additional data on simulator and sponsor
Special-Update	SU	Part 60.16	Modifications
Special-Other	SO		Other – not mentioned above

Evaluation Information

FSTD Configuration

Indicate the FSTD configuration evaluated where variable FSTD configurations exist under one FAA ID number (i.e. engine types, propeller type)

T001

This is commonly referred to as the Statement of Qualification (SOQ). Check “Yes” if a new SOQ was issued. For most continuing and initial

T001A

This is sometimes referred to as the Configuration List. Check “Yes” if the T001A has been changed from the previous official version.

BASA-SIP

Bilateral Aviation Safety Agreement – Simulator Implementation Procedures. Check “Yes” if the evaluation you are performing will be sent to a
There are only two current agreements: UK CAA and Transport Canada.

Sponsor Feedback

Sponsors are encouraged to leave [Feedback](#) Feedback for the NSPM concerning this evaluation or other matters. Select the Feedback link on this