

Signage Guide | Fall 2025

66

Spirit of the Lord IS, THERE IS LIBERTY

2 Corinthians 3:17

CONTENTS

Rationale	3
Wayfinding Visual Index	5
Typography	17
Exterior Wayfinding: Guidelines & Specs	23
Interior Wayfinding: Guidelines & Specs	51
Liberty Mountain: Guidelines & Specs	77
Temporary Signage Policy	83
Community Boards Policy	90
Sign Approval and Order Process	93

RATIONALE

Consistent campus signage increases awareness of the Liberty University brand and creates a positive first impression. From the smallest room number to the largest building on campus, our signs should follow a system that is both coherent and standardized. Using these specifications to design campus signage will:

- Beautify the Liberty campus by creating a cohesive visual brand.
- Eliminate clutter created by pre-existing signs that don't match.
- Provide recognizable, easy-to-follow navigational signage to help eliminate guest confusion.
- Distinguish Liberty as a prestigious, academic institution throughout all visual interactions on campus.
- Systematize design, materials, and messages to improve wayfinding.
- Control long-term signage design, production, and maintenance costs.





WAYFINDING VISUAL INDEX

This section serves as a quick-reference guide to Liberty University's wayfinding system. Each example provides a visual overview of the signage style. For detailed specifications — including sizing, placement, and usage — refer to the page numbers listed below each reference.

WAYFINDING VISUAL INDEX:

EXTERIOR SIGNAGE

Mock-ups may not be to scale.



→ EWP-A

Parking Lot Entry Sign

Page 24



→ EWT-C

Vehicular Wayfinding Sign: Small


Page 26



→ EWT-D

Vehicular Wayfinding Sign: Large

JERRY FALWELL LIBRARY





→ EW-E

On-Building Identifier

Page 28


→ EW-F

Two-Post Building Identifier

Page 30

→ EW-G

Residential Building Identifier







→ EW-H

Pedestrian Finger Sign

Page 34

→ EWT-K

Bus Stop Interior Sign

Page 36

→ EWT-L

Misc. Traffic Signs







→ EWP-M

Parking Lot Spaces: 8" x 8"

Page 40

→ EWP-N

Parking
Lot Spaces:
Color Decal

Page 42

→ EWP-P

Parking Lot Spaces: Misc. Text

Page 44

→ EWP-Q

Parking Lot Spaces: Handicapped

Page 46

→ EW-R

Fire Code Sign

WAYFINDING VISUAL INDEX:

INTERIOR SIGNAGE

Mock-ups may not be to scale.





→ IN-K

Floor Map Directory

Page 52

→ I N - J

Directory Wayfinding Sign

Page 54

3 THIRD FLOOR # SUITES 3000 - 3600 Suffe 1000
Clastroens 5000, 1022, 5008, 1042, 5044, 3084, 3082, 1084, 1086
Clastroens for Talaching Excelence
Department of Psychology
Sits Student, Study / Lounge
School of Behavioral Sciences Administrative Suite SUITE 3100 Classrooms 3152, 3160, 3161, 3165, 3166 Student Counceling Services BUTTE 3200 Classrooms 3262, 3268, 3272, 3274, 3276, 3282, 3284, 3285, 3287 SUITE 3300 Classrooms 3312, 3362, 3382, 3384, 3386 Department of Social Work School of Engineering & Computational Science SUITE 3500 - 3600 GRAND LOSSY SUITES 3000 - 3600 SUITE 1000
Classrooms 5000, 1022, 5006, 1042, 3044, 3064, 3082, 1084, 1086
Classrooms 8000, 1022, 5006, 1042, 3044, 3064, 3082, 1084, 1086
Descriment of Psychology
SSS Student Study I, Jounge
School of Behavioral Sciences Administrative Suite SUITE 3100 Classrooms 3152, 3180, 3181, 3185, 3186 SUTTE 3300 Classrooms 3262, 3268, 3272, 3274, 3276, 3282, 3284, 3285, 3287

→ IN-W1C

Flat Wayfinding Sign



→ IN-L1

Frosted Door Vinyl: General University*

Page 58



→ IN-L2

Door Vinyl: Athletic

- * In some cases, the monogram may be replaced with the official academic seal, a professional school seal, or other marks approved by Marketing.
- Glass (see through)
- ☐ Frosted Vinyl

HELMS SCHOOL OF GOVERNMENT

GRAND LOBBY

1500B **←** 1500C 1500E

→ IN-G

Academic College/School Area Identifier

Page 60

→ IN-H1

Section Designation Identifier

Page 62

IN-M

Blind Hallway Sign

Page 64

VINES CENTER **ENTRANCE**

→ IN-H2

Section Designation Identifier: Entrance

Page 62



→ IN-N

Pictogram Sign

HELMS SCHOOL









→ IN-A1

Room Sign: One Line

Page 68

→ IN-A2

Room Sign: Two Line

Page 68

→ IN-D2

Women's Restroom

Page 72

→ IN-D3

Men's Restroom

Page 72

→ IN-E1

→ IN-E2

Exit Stair Stair

Page 72

Page 72

NAME Title

→ IN-B

Individual Office Sign

Page 70





→ IN-D1

Restroom

Page 72

→ IN-D4

ADA-Accessible Restroom

Page 72

→ IN-F

Stair Level Sign

WAYFINDING VISUAL INDEX:


LIBERTY MOUNTAIN & OUTDOOR RECREATION SIGNAGE

Mock-ups may not be to scale.




→ AUX-A

Area Entrance







→ AUX-G

Caution Signage





TYPOGRAPHY

WAYFINDING TYPOGRAPHY: EXTERIOR SIGNAGE

TRAJAN PRO 3 SEMIBOLD ABCDEFGHIJKLMNOPQRSTUVWXYZ -ALL CAPS-0123456789



Trajan Pro 3 Semibold is one of Liberty's official university fonts and is used in our wordmark. Using Trajan on exterior signage helps with brand cohesion across the university.

Please note that while Trajan Pro 3 has a small-capitals lowercase, it should always be used with ALL CAPITALS for university signage.

MERCURYHG DISPLAY SEMIBOLD

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 0123456789





Mercury HG Display Semibold is a serif display typeface based off of Mercury Display. Mercury is a similar typeface to Adobe Garamond Pro but was built to be clearly legible at large sizes. It was internally edited to include symbols necessary for wayfinding, such as directional arrows, ADA symbols, and common highway route markers. This typeface may be used in sentence case.

This typeface may not be distributed outside of the university.

WAYFINDING TYPOGRAPHY: INTERIOR SIGNAGE

TRAJAN PRO 3 SEMIBOLD ABCDEFGHIJKLMNOPQRSTUVWXYZ -ALL CAPS-0123456789



Trajan Pro 3 Semibold ties our exterior signage to our interior signage. Using Trajan on interior signage helps with brand cohesion across the university.

Please note that while Trajan Pro 3 has a small-capitals lowercase, it should always be used with ALL CAPITALS for university signage.

GOTHAM BOOK ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopgrstuvwxyz 0123456789



Gotham Book is one of our official university fonts. It was first used for interior signage at the Jerry Falwell Library. Gotham typeface blends with the modern architecture of our newer buildings and brings our pre-existing buildings into the same style. This typeface may be used in sentence case.





EXTERIOR WAYFINDING GUIDELINES & SPECS

EWP-A | PARKING LOT ENTRY SIGN EWP-B REMOVABLE PARKING LOT ATTACHMENT

These freestanding, two-post signs are made of two separate signs (EWP-A1 & EWP-A2) and a spacer to keep them separated. They are available as either single- or double-sided and should be placed at entrances to parking lots.







EWP-A1 FORMAT

Parking Icon / Lot Name / "Parking Lot" / Valid Decals / Days Open / Times Open

Size: 48"w x 39.5"h

EWP-A2 FORMAT

"Visitor Permits at" / "Hancock Welcome Center" (or other location name) / "Towing Enforced at Owner's Expense" / "Contact LUPD at (434) 592-7641"

Size: 48"w x 16.25"h

Text may not be hyphenated. Parking decal icons are always centered. All vinyl should be reflective.



EWT-C | VEHICULAR WAYFINDING SIGN: SMALL EWT-D | VEHICULAR WAYFINDING SIGN: LARGE

These freestanding, two-post signs are visible to vehicular and pedestrian traffic. They can be either single- or double-sided and should be placed in high visibility areas.

Academic buildings are identified by their formal name with the following exceptions:

- "Center for Music and the Worship Arts" is listed as "School of Music"
- "Center for Medical and Health Sciences" is listed as "Medical School"

Athletic facilities are identified by their formal name with the following exceptions:

- "Kamphius Field at Liberty Softball Stadium" is listed as "Softball Stadium"
- "LaHaye Recreation and Fitness Center" is listed as "Rec & Fitness Center"
- "Williams Stadium" is listed as "Football Stadium"

Facilities should be listed in alphabetical order for ease of skimming.

Roads are abbreviated "Rd" (no period).

All exits are listed as the last line item below the coordinating arrow.

Parking icons appear following any facility that has a parking lot.

LUPD icon may be used for ease of skimming.

Text may not be hyphenated.

Do not adjust text size.

Kerning should not be adjusted.

Keep each facility on one line if at all possible.

All vinvl should be reflective.



EWT-C FORMAT

Academic Seal / Campus Area / Directory (Arrow followed by location information)

Size: 48"w x 75"h


EWT-D FORMAT

Academic Seal / Campus Area / Directory (Arrow followed by location information)

Size: 48"w x 95"h








EW-E | ON-BUILDING IDENTIFIER

All major buildings on campus should be labeled with an **On-Building Identifier** on the same side as the main entrance(s). These identifiers are raised letters that are adhered to the building. They should be slightly darker than the building itself, creating an obvious identifier without distracting from the building's architecture. If there is not an available area for the identifier to be placed, other options may be explored. An example of this can be seen in the image of the library to the right.









EW-E FORMAT

All-Caps Trajan Pro 3 Semibold Tracking set at +200

Size: Determined based off specs of each building; should allow for the same ratio of margin spacing

On a case-by-case basis, On-Building **Identifiers** may be created using two lines. These are only permitted when the building name is too long to fit on one line and there is enough vertical space, but this format is not preferred.

Note that the color of the letters will change per building.

EW-F | TWO-POST BUILDING IDENTIFIER

In addition to an **On-Building Identifier**, academic buildings may be labeled with a double-sided **Two-Post Building Identifier** for pedestrian traffic. These signs should be placed perpendicular to the main entrance of the building. When possible, signs should be placed at a pedestrian intersection.







EW-F FORMAT

Academic Seal / Building Name (one, two, or three lines) / Liberty University Horizontal Wordmark

Size: 84"w x 48"h

Text may not be hyphenated.

Line breaks should be placed where they make the most sense.

Parking decal icons are always centered.

All vinyl should be reflective.



EW-G | RESIDENTIAL BUILDING IDENTIFIER

Residential buildings are identified by a wall-mounted sign placed to the left or right of the main entrance. Signs should be installed 54" from the ground to the sign's bottom edge.



EW-G FORMAT


Academic Seal / Residence Hall ID / Campus Area

Size: 12"w x 16"h

Text may not be hyphenated.

All vinyl should be reflective.





EW-H | PEDESTRIAN FINGER SIGN

These are freestanding, double-sided signs visible in specific, high-traffic pedestrian areas. The directional arrow is always on the side of the sign furthest from the post.

A maximum of four directionals may be displayed on each post.

A maximum of two signs may be stacked vertically that are pointing in the same direction.





→ Design not finalized

EW-H FORMAT

Side 1: Building Name / Right Arrow

Side 2: Left Arrow / Building Name

Size: TBD

Text may not be hyphenated.


All signs should use the same point size.

Abbreviations may be permitted on a case-by-case basis.

The same nomenclature used on Vehicular Wayfinding Signs (Page 26) should be used.

Finger signs may be affixed to a lamppost on a case-by-case basis.

All vinyl should be reflective.



EWT-K | BUS STOP INTERIOR SIGN

Bus Stop Markers are installed at all bus stops. The top sections can be taken apart so that route numbers can be changed out as needed.

Bus Stop Interior Signs are placed inside of bus stops to identify the stop number, name, and route information. A QR code is used that links to a live route map.

Since bus stops may be at off-campus locations, the monogram is used at the top instead of the academic seal.




EWT-K FORMAT

Monogram / Route Number / Route Name / Route Information and QR Code

Size: 18"w x 20"h

All vinyl should be reflective.





K

EWT-L | MISC. TRAFFIC SIGNS

These signs are placed strategically in locations where traffic and/or parking direction is needed. They may either be attached to a post or wall-mounted. If attached to a post, they may be rectangular with rounded edges and encased in a frame (EWT-L2), or the scalloped top may be used (EWT-L1).







EWT-L1 FORMAT

Academic Seal / Text / Arrow(s) (if needed) / "Towing Enforced at All Times" (if needed) / "Contact LUPD at (434) 592-7641" (if needed) / Liberty University Horizontal Wordmark

Size: 12"w x 16"h

EWT-L2 FORMAT

Academic Seal / Text / Arrow(s) (if needed) / "Towing Enforced at All Times" (if needed) / "Contact LUPD at (434) 592-7641" (if needed) / Liberty University Horizontal Wordmark

Size: 12"w x 18"h *or* 18"w x 24"h

EWT-L3 FORMAT

No entry symbol / "No" / "Entry"

Size: 8"w x 8"h

Format may vary in regard to text, arrows, and towing statement. All vinyl should be reflective.



EWP-M | PARKING LOT SPACES: 8" X 8"

These freestanding single-post signs should be used for reserved numbered or individual spaces only. These signs may be used to identify one space, and may occasionally be wall-mounted, though a post is preferred.







EWP-M1 FORMAT

Monogram / "Reserved" / #

Size: 8"w x 8"h

EWP-M2 FORMAT

"Reserved" / Text

Size: 8"w x 8"h

All vinyl should be reflective.

I RESERVED RESERVED **Visitors** to the **Provost**

EWP-N | PARKING LOT SPACES: COLOR DECAL

These freestanding single-post signs should be used for color decal spaces only. The mini decal at the top should match the parking lot entry sign (EWP-A), and the color bar with full text should make these signs easily identifiable from a distance. Signs may be used to identify either one or two spaces.





EWP-N1 FORMAT

Mini Decal / "Reserved" / Color Block with Decal Designation Text / Time Frame / Arrows (if needed) / "Towing Enforced" / "Contact LUPD at (434) 592-7641 (if needed)

Size: 12"w x 16"h

EWP-N2 FORMAT

Academic Seal / "Reserved" / Smaller Color Blocks with Decal Designation Text / Time Frame / Arrows (if needed)

Size: 12"w x 16"h

EX-N1 layout may be adjusted slightly if there is additional text needed at the bottom.

Do not hyphenate text.

Do not change text size.

Three-line maximum for center text area.

All vinyl should be reflective.



EWP-P | PARKING LOT SPACES: MISC. TEXT

These freestanding single-post signs should be used for parking lot spaces across campus. The text "Reserved" should be on all signs. EWP-P2 signs may use the athletic primary at the top. All others should use the academic seal (EWP-P1). Signs may be used to identify either one or two spaces.









EWP-P1 FORMAT

Academic Seal / "Reserved" / Who is the spot reserved for? / Time Frame / Arrows (if needed)

Size: 12"w x 16"h

EWP-P2 FORMAT

Athletic Primary Mark / "Reserved" / Who is the spot reserved for? / Time Frame / Arrows (if needed)

Size: 12"w x 16"h

Do not hyphenate text.

Do not change text size.

Three-line maximum for center text area.

All vinyl should be reflective.



EWP-Q PARKING LOT SPACES: HANDICAPPED

Each handicapped space requires its own sign; arrows may not be used to indicate two spaces. They may be attached to a post or wall-mounted, depending on location.





EWP-Q1 FORMAT

Academic Seal / "Reserved" / Handicapped symbol / "Tow-Away Zone" / "Penalty: \$100-500 Fine"

Size: 12"w x 16"h

EWP-Q2 FORMAT

Academic Seal / "Reserved" / Handicapped symbol / "Van-Accessible" / "Tow-Away Zone" / "Penalty: \$100-500 Fine"

Size: 12"w x 16"h

All vinyl should be reflective.





EW-R | FIRE CODE SIGN

Fire Code Signs are required by law for emergency service personnel to be able to quickly and easily locate sections in large and unfamiliar buildings on our campus. These signs should be placed at a height that can be easily seen from the street.





EW-R1 FORMAT

Number

Size: 24"w x 12"h

EW-R2 FORMAT

Number / Number

Size: 24"w x 18"h

EW-R3 FORMAT

Number / Number / Number

Size: 24"w x 30"h

All vinyl should be reflective.

R 1 R 2

1000

1200 1100

2000 1300





INTERIOR WAYFINDING GUIDELINES & SPECS

I N - K FLOOR MAP DIRECTORY

Floor Map Directories include a map of the current floor layout with a red "You Are Here" pin. They should be placed at main entrances and major high-traffic areas on each floor, preferably in direct line of sight of area entryways.







K

IN-K FORMAT

Varies by building

Size: 40"x30.625"

Text may not be hyphenated.

No more than two lines may be used.



IN-J DIRECTORY WAYFINDING SIGN

These are placed at main entrances and near elevators/main stairwells. This includes the high-level schools, departments, offices, and/or student services on each floor. The signs are constructed of acrylic with printed vinyl color blocks attached to the front, and they are adhered to the wall with stand-offs.







IN-J FORMAT

Text should be listed in Gotham. Format determined based on building needs.

Size: 23.5"x 47.5"


Text may not be hyphenated.



CORNER & FLAT IN-W1C WAYFINDING SIGN

These are placed at intersections in hallways directing traffic to more precise locations and specific room numbers. These may be placed on a maximum of two corners per intersection. Flat Wayfinding Signs are printed on poster paper and placed inside a frame to be attached to the wall. When ordering signs, designate "IN-W1C" for a Flat Sign.






IN-W1C FORMAT

Suite Numbers / Amenity Icons / Individual Suite / Areas within Suite / [Repeat Individual Suite and Areas within Suite as needed]

Size: 18"x30"

Text may not be hyphenated.



IN-L DOOR VINYL

Frosted vinyl should be used on doors to identify areas within. They should be placed at a consistent height and size throughout all of campus. This design allows the doors to retain visibility while labeling the area.





IN-L1 FORMAT FOR NONACADEMIC OFFICES/ DEPARTMENTS

Monogram / Office or Department Name (truncated to remove "Office of" or "Department of" / Hours if desired

Size: Dependent on glass size



IN-L1 FORMAT FOR ACADEMIC COLLEGES/ SCHOOLS/DEPARTMENTS

Monogram or School-Specific Mark, Seal, or Crest / College, School, or Department Name / Hours Open and Closed if desired

Size: Dependent on glass size

IN-L1 FORMAT FOR INDIVIDUAL OFFICES

Monogram or School-Specific Mark, Seal, or Crest

Note: Individual names may not be added to door vinyl.

Size: Dependent on glass size

IN-L2 FORMAT

Athletic Primary / Liberty Flames Horizontal Wordmark / Sport Name / Area Function

Size: Dependent on glass size

Text may not be hyphenated.



L 2



NOTE:

A red or blue onecolor logo cannot be inverted to white for use on a dark background.





NOTE:

Full frosting of doors requires approval. This is not allowed on individual offices.

AREA IDENTIFIER: COLLEGE/SCHOOL/DEPARTMENT IN-G

Colleges, schools, and department signs within buildings (such as Arthur S. DeMoss Hall) should be identified with silver three-dimensional letters affixed to either a bulkhead or the wall above the entrance.







IN-G FORMAT

All-capital Trajan Pro 3 Semibold, centeraligned, letterspaced with tracking set at +100 (approximately 2 inches between letters).

Size: Determined by spacing limitations, but at least 1 foot below the ceiling.

Text may not be hyphenated.

No more than two lines may be used.


Nonacademic departments, offices, and centers may be truncated down to the function. For example, "Office of Institutional Effectiveness" should be truncated to "Institutional Effectiveness."

G SCHOOL OF BUSINESS

MARKETING

AREA IDENTIFIER: SECTION DESIGNATION IN-H

Section Designations within buildings should be identified consistently across campus. They are silver three-dimensional letters affixed to either an entryway or wall. An entryway receives larger letters than a wall within that area. For example, the "Curriculum Library" inside the Jerry Falwell Library has a larger entryway section designator. Within the Curriculum Library, the "Creation Station" receives a smaller wall section designator.









IN-H1 FORMAT

All-capital Gotham Book, center-aligned, letterspaced with tracking set at +100.

Size: Determined by spacing limitations

IN-H2 FORMAT

All-capital Gotham Book, center-aligned, letterspaced with tracking set at +100 / "Entrance"

Size: Determined by spacing limitations

Text should be placed on one line.

Text should be set in all-capital Gotham Book, center-aligned, letterspaced with tracking set at +100.

Two-line **Section Designations** may be permitted on a case-by-case basis.

H 1 TINNEY CAFÉ

 H_2

VINES CENTER **ENTRANCE**

IN-M | BLIND HALLWAY SIGN

→ Design not finalized

At blind intersections where classrooms or other important rooms are difficult to see, **Blind Hallway Signs** may be used. These may be placed parallel to the blind hallway but perpendicular to the major hallway. Signs should be placed at least 7 feet from the ground to the bottom of the sign.



IN-M FORMAT

All-capital Gotham Bold, center-aligned, letterspaced with tracking set at +100.

Size: 10"x 10.875"

Text may not be hyphenated.

No more than three rooms may be identified per sign.

Where possible, use en-dashes to denote multiple rooms (i.e. 2200C–F)

M



IN-N | PICTOGRAM SIGN

To identify elevators, stairs, and restrooms, **Pictogram Signs** may be used. These stand perpendicular to the wall and should be placed at least 7 feet from the ground to the bottom of the sign.









IN-N FORMAT

All-capital Trajan Pro 3 Semibold, centeraligned, letterspaced with tracking set at +100.

Size: 10"w x 10.875"h

Text may not be hyphenated.

No more than two lines may be used.



IN-A ROOM SIGN

Room Signs designate the room number centered at the top, a room identification, and a Grade 2 Braille translation underneath. All text is raised. **Room Signs** should be placed at a height of 60" from the ground to the center point of the sign.







IN-A1 FORMAT

Room Number / One-Line Room Identification / Grade 2 Braille Translation

Size: 8"w x 3.5"h

IN-A2 FORMAT

Room Number / Two-Line Room Identification / Grade 2 Braille Translation

Size: 8"w x 4.5"h

Text may not be hyphenated.

Text should be in all-capital Gotham Book, letterspaced with tracking set at +50.

A 1

104A MECHANICAL A 2

1600 HELMS SCHOOL OF GOVERNMENT

IN-B INDIVIDUAL OFFICE SIGN

These interchangeable signs are affixed to the left or right side of individual offices. Individual Office Signs include raised tactile numbers and Braille translation on a gray sign with a paper insert area.







B 1

IN-B1 FORMAT

Room Number / Grade 2 Braille Translation

Size: 8"w x 4.5"h

IN-B2 FORMAT


Room Number / Grade 2 Braille Translation

Size: 8"w x 2.5"h

Text may not be hyphenated.

Text should be in all-capital Gotham Book, letterspaced with tracking set at +50.






IN-D RESTROOM ADA SIGNAGE

I N - E STAIR ADA SIGNAGE

ADA Signage is used to designate restrooms and stairs across campus. These signs should be placed at a height of 60" from the ground to the center point of the sign. Additional signs may be created using the same format and the icons available in the glyphs for MercuryHG Display Semibold.







IN-D2&3 FORMAT

Icon / "Women" or "Men" / Grade 2 Braille Translation

Size: 6"w x 8"h

IN-D1&4 FORMAT

Icon / "Restroom" / Grade 2 Braille Translation

Size: 6"w x 8"h

IN-E1 FORMAT

Stair Icon / "Stair" / Grade 2 Braille Translation

Size: 6"w x 8"h

IN-E2 FORMAT

Stair Icon / "Exit Stair" / Grade 2 Braille Translation

Size: 6"w x 8"h













Text may not be hyphenated.

Text should be in all-capital Gotham Book, letterspaced with tracking set at +50.

IN-F STAIR LEVEL SIGN

Stair Level Signs, like ADA Signs (IN-D and IN-E), should be placed at a height of 60" from the ground to the center point of the sign. They are used to designate stair levels and exit information.







IN-F FORMAT

"Stair" + Stair Number Designation (if applicable) / "Level" / Grade 2 Braille Translation / Exit information / Applicable Levels / Roof Access information (if applicable)

Size: 18"x18"

Text may not be hyphenated.

Text should be in all-capital Gotham Book, letterspaced with tracking set at +50.







LIBERTY MOUNTAIN & OUTDOOR RECREATION GUIDELINES & SPECS

AUX-A | LIBERTY MOUNTAIN AREA ENTRANCE

Liberty Mountain Area Entrances should be consistently designated across campus. These signs are built using fieldstone columns with solid surface material stretched between them. Raised letters are installed on the sign.



AUX-A1 FORMAT

Line, "LIBERTY," Line / Area Name (1- or 2-lines) / Line "UNIVERSITY" Line

Size: Dependent on location


AUX-A2 FORMAT

Line, Monogram, Line / Area Name (1- or 2-lines) / Line, Liberty University Horizontal Wordmark, Line

Size: Dependent on location

Text may not be hyphenated.





→ Design not finalized

AUX-F TRAIL MARKERS


Trail Markers may be placed to identify which trail you are traveling on.

*These have not been produced, but can be if the need arises.

AUX-F FORMAT


Monogram inside color block / Trail Name


Size: TBD




AUX-G | SAFETY/CAUTION SIGNAGE

Caution signs can be placed in outdoor recreation areas as needed.











TEMPORARY SIGNAGE POLICY

TEMPORARY SIGNAGE POLICY

The buildings and green spaces taking shape across campus demonstrate Liberty University's commitment to providing students with an attractive and well-manicured collegiate environment. Maintaining this environment is a priority. Campus aesthetics become fractured through the placement of improper signage.

In an effort to exercise good stewardship and reduce clutter on campus, Liberty's signage policy applies to the following:

- Bus stop clings
- · Decals/clings on buildings
- Flyers/posters
- Ground decals
- Hanging banners
- Yard signs

The temporary signage policy provides general guidelines for signage on campus and will uphold its consistent and attractive use in and around all public facilities. This ensures that our messaging is effective and free from distraction while minimizing maintenance and repair costs for buildings and landscapes and eliminating inconsistent, ineffective, and unnecessary signs.

Note: This policy is in effect for all public buildings and spaces. Approval for signage posted within residence halls will remain at the discretion of resident directors and resident assistants. Approval for commuter bulletin boards will remain at the discretion of the Office of Student Life. Additionally, permanent wayfinding signage on campus will continue to be handled by Print and Mailing Services.

PLACEMENT GUIDES

The primary purpose of temporary signage is to provide directions or to note the location of specific events or activities.*

All signage and its scheduled dates must be submitted to and approved by the Liberty University Marketing Department prior to posting and removed by the user following each event. Noncompliant signage will be immediately removed by Facilities Management. Please remember that our campus is a reflection of our values, which include excellence and good stewardship. Departments are required to make sure that their temporary signage does not remain posted after it becomes outdated.

*Consider the following alternatives to temporary signage:

- · Campus TV screens
- Community bulletin boards (see Page 98 for policy)
- Employee bulletin board
- myLU announcement and/or slide
- University readerboards

APPROVED SIGNAGE

The design on approved signage must not display corporate logos. You may request that the Marketing Department create art for you, or you may create your own and submit it for Marketing approval. For additional assistance, please email your project coordinator.

The location cannot interfere with pedestrian or vehicle/ golf cart traffic or create a potential tripping hazard. It must be placed to minimize interference with LU grounds crews in their maintenance of a clean and well-groomed campus. Please use discretion when placing near other temporary signage to avoid the appearance of clutter.

The signage must be placed no more than 7 days prior to the event.* Signage must be removed immediately following the event (i.e., the evening of the event or first thing the following morning).

BUS STOP CLINGS

- Athletics
- Club Sports
- Commencement
- Homecoming
- Student Activities

GROUND DECALS

- Athletics
- CFAW
- Club Sports
- Commencement
- Homecoming
- Student Activities

YARD SIGNS

- Athletics
- Club Sports
- Commencement
- Homecoming
- · Student Activities
- · Event Directional Signage*

*Event directional signage should not be placed until the day of the event.

UNAPPROVED SIGNAGE

Signage displaying the following will not be approved or immediately removed:

- Commercial advertising via yard signs, fliers, or posters
- Signs, clings, and/or posters attached to buildings, other structures, or landscape elements such as fences or trees
- Signs not preapproved by the Marketing Department



All signage issues not specifically addressed by this or other university policies should be referred to the Marketing Department at marketing@liberty.edu.





COMMUNITY BOARDS POLICY

COMMUNITY BOARDS POLICY

GENERAL

Community boards are spread around campus and updated every Friday with new posters brought into the Office of Commuter Life. These posters can promote:

- · Campus events
- Roommate searches and housing listings
- Job openings



- Fundraisers
- Community and service opportunities

GUIDELINES AND PROCEDURES

- Due to space limitations, all posters must be no larger than 8.5 x 11.
- · All posters and flyers must adhere to the Liberty Way. Use of the boards is a privilege and ultimately contingent upon the discretion of the Office of Student Life.
- Please be sure to leave an area of "white space" on your flyer so the stamp is visible. If no "white space" is available, the flyer will not be approved.
- · All paid and non-Liberty posters will take priority over campus posters based on space available.

• Flyers must be brought in person to Green Hall, Room 1875. A copy machine is available in the Green Hall lobby, if needed. Student Life staff will not make copies for faculty, staff, and students.

- No poster may be submitted more than 1 week in advance of the intended posting period.
- No more than 2 flyers from the same person or group may be displayed on Community Boards during a single 2-week period.

PAYMENT

- Online payments can be made via the Online Payment Portal on the Commuter Life webpage.
- Costs for non-Liberty University affiliated customers:

Community board posters delivered to the Office of Student Life: \$10

Community board posters printed by the Office of Student Life: \$20

Official Liberty University departments and student clubs may post for free. Same posting restrictions apply.

Please contact the Office of Student Life at (434) 592-3067 or **commuters@liberty.edu** with any questions.





SIGN APPROVAL AND ORDER PROCESS

SIGN APPROVAL AND ORDER PROCESS

Departments looking for wayfinding signage can submit order by contacting Print and Mailing Services at print@liberty.edu.

When requesting a sign, please refer to the sign type as listed in this document. For example, if you are requesting an Individual Office Sign, use the sign type "IN-B" in your request.

Once proper approvals have been given interdepartmentally, the signage will go through Marketing for approval.



1971 University Blvd., Lynchburg, Va. 24515 | Liberty.edu/Branding | Branding@liberty.edu